

YOU JUST HEARD THE VOLTAGE OF CANCER IN THE AIR EVERYWHERE!

It's a journey to rapid aging, illness and malignancy.

Wi-Fi & smart phone radiation is a CARCINOGEN linked to:

**Breast cancers
Colon and rectal cancers
Meningioma brain cancer
Glioma brain cancer
Pituitary tumors (brain)
Acoustic neuroma tumors (inner ear/brain)
Central Nervous System Lymphoma (brain and spine)
Thyroid cancer and other endocrine cancers
Schwannoma heart tumors
Parotid gland cancers (mouth)
Eye cancers
Melanoma and non-melanoma skin cancers
Hemolymphatic (HL) cancers (blood and lymph)**

♣ In May 2016, the \$30 million NTP Study overseen by the National Institutes of Health (NIH) reported cancers in many animals exposed to cell phone radiation: glioma brain tumors, malignant growths in the heart and many endocrine tumors.

♣ Wi-Fi radiation initiates and accelerates the growth of tumors. The U.S. Air Force showed that rats irradiated suffered: 16% more benign tumors and 260% more primary malignant tumors. Hundreds of recent studies show that **Wi-Fi is a PUBLIC HEALTH HAZARD.**

Get the facts: www.Wi-cancer.info

Recent Medical Reports

Major Study Conclusively Links Wi-radiation With Brain Cancer (Moon et al) ²⁰²⁴

“According to South Korean scientists, who analyzed 24 studies and released their report in the journal Environmental Health, **people who use cellphones put themselves at greater risk of developing brain cancer.**”

Cell Phone Radiation Causes Cheek Cells to Die (Kundi et al) ²⁰²⁴

“Exposure to 3G cell **phone radiation caused cell damage and death in users’ cheek tissue,** which could lead to the development of cancer.... “

Colorectal Cancer Risk When Cell Phone Carried Below the Waist (Li et al) ²⁰²⁴

“When placed in a pocket below the belt, the phone transmits RF radiation into the abdomen... Li found that those who carried a phone below the waist were four times more likely to develop tumors....The link between cell phone carrying and early onset colorectal cancer (EOCRC) is strongest when the phone was kept on the same side as where the tumor developed. EOCRC tends to develop on the left side of the colon. Those who carried a phone on the left side for more than 30,000 hours **were 12 times more likely to develop a tumor** on that side of the colon.”

Breast Cancer in Young Women: Prolonged Contact With Cell Phones (West et al)

“All Patients regularly carried their smart phones directly against their breasts, in their brassieres for up to 10 hours a day, for several years, and **developed tumors in areas of their breasts immediately underlying the phones.**”

Thyroid Nodules (Lumps) Linked to Bluetooth Headsets (Zhou et al) ²⁰²⁴

“Our study highlighted a significant impact **relationship between prolonged Bluetooth headset use and increased thyroid nodule risk,** emphasizing the importance of considering health impacts in the use of modern technology, especially for devices like Bluetooth headsets that are frequently used daily.”

